

TD-4266A

BLOOD GLUCOSE MONITORING SYSTEM

5 Sec, 1.0 μ L

Display Screen



FEATURES

- Before / After meal (AC/PC) presetable
- Low / High indicator
- Display calendar and clock when meter standby



SPECIFICATIONS

Enzyme Type	GDH-FAD
Sample Size	1.0 μ L
Reaction Time	5 seconds
Measurement Range	10 ~ 600mg/dL (0.55 ~ 33.3mmol/L)
Hematocrit Range	0-70%
Precision	\pm 5% with respect to Standard
Accuracy	\pm 15mg/dL if \leq 100mg/dL; \pm 15% if >100mg/dL
Power Source	CR2032
Memory Capacity	150 sets
Day Average	No
Daily Alarm	No
Dimension	89 (L) x 31 (W) x 16 (H) mm
Weight	25 g (without battery)
Operating Condition	10°C (50°F) ~ 40°C (104°F)
Storage Condition	-20°C (-4°F) ~ +60°C (140°F) (Meter); 2°C (35.6°F) ~ 32°C (89.6°F) (Strip)
Units Per Carton	30
Carton Size	476 (L) x 370 (W) x 400 (H) mm
Cross Weight Per Carton	11.7 kg



www.taidoc.com

TaiDoc Technology Corp.

B1-7F., No.127, Wugong 2nd Rd., Wugu Dist.,
New Taipei City 24888, Taiwan
Tel : +886-2-6625-8188 Fax : +886-2-6625-0288